unqork

Platform Release Notes

Version: 7.4.0

Release Highlights

unqork

🎉 Release Highlights 🎉

Improved Data Modeling

With the new updates to the Data Modeling feature, Creators have a streamlined mechanism to update their data structures to match the changing demands of their applications. Unqork has removed the need to disassociate data models from bound modules before making changes to them. This enhancement greatly improves the usability of Unqork's Data Modeling functionality.

Additional benefits of include:

- New visualization displaying your new update compared to your previous data structure using JSON Schema diffs that ensure the change produced the expected result.
- A guide showing upstream resources, like modules and queries, that are impacted by this change. This enhancement ensures you avoid potential errors generated by data changes, improving the time when implementing new features.
- A historical record of all Data Model changes.

unqork

Enhancements

unqork

💡 Enhancements

Administration

- **Services Administration**: When configuring an **OAuth2 Client Credentials Grant** authentication method, you can now allow tokens to persist until the specified expiration date that displays in the response. To enable this functionality, select the new **Enable Token Persistence** setting in Services Administration. If the persistent tokens are revoked, you can now refresh them by clicking **Refresh Token**.

unqork

💡 Enhancements (Continued)

Administration

- **Client Tracker Administration**: Datadog RUM tracker now allows administrators to specify the tracker site so it can be configured to work with any Datadog setup. Administrators can now take advantage of a new field added to the Administration page called **Tracker Site**.

APIs

- **Data Model Records**: Added support for deleting Data Model records using our REST endpoints. This option was previously only available using the GraphQL sandbox.

Components

- **File Component**: Added a new setting that lets Creators customize the error message that displays when a file with an incorrect format is uploaded.

unqork

💡 Enhancements (Continued)

Workspaces

- **Data Model Projections**: Added the ability to pass a new `project` configuration parameter to Data Model record calls that let Creators select specific fields to be returned for each Data Model record.

- **Visual Query Builder**: Added a default limit parameter that you can configure in the Visual Query Builder. Without this parameter, the default limit is **50**.

unqork

Bug Fixes

🐞 Bug Fixes

Components

- **Chart component:** Fixed an issue where downloading chart caused the file name to be truncated if it exceeded a certain length. Downloaded chart file names are no longer be truncated.

- **Initializer component**: Fixed an issue in the **Outputs** table while in Designer view where the value would default to `no`, in certain situations, if no value is entered.

- **Rich Text Editor component**: Fixed an issue where the **Default Content** section did not render properly in the component's configuration window when set to **Read-Only**.

- **ViewGrid component**: Fixed an issue where double-quotes were being removed when pasted into the **Display Table** in the component's configuration window.

Module Builder

- **Modules**: Fixed an issue where application headers would incorrectly apply component-level RBAC in certain situations.

- **Translations**: Fixed an issue where translations were defaulting to an incorrect language if they were not available for a language with locale.

unqork

🐞 Bug Fixes (Continued)

Vega

- **Express View**: Fixed an issue where some Centauri stylesheets did not display as expected for Vega Partner users.

> This fix is specific to users that are part of the early access program for Unqork's new Vega runtime.

Workflow Builder

- **Workflow**: Fixed an issue where data from dynamically-refreshed components were not persisting to the workflow submission.

unqork